

FINITO

Page: 1

Compilation date: 28/04/2009

Revision date: 11/05/2017

Revision No: 6

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FINITO

Product code: 420

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

| Company name: | Clover Chemicals Ltd |
|---------------|--------------------------|
| | Clover House |
| | Macclesfield Road |
| | Whaley Bridge, High Peak |
| | Derbyshire |
| | SK23 7DQ |
| | ПК |

Tel: +44 (0) 1663 733114

Fax: +44 (0) 1663 733115

Email: technical@cloverchemicals.com

1.4. Emergency telephone number

Emergency tel: NHS 111

NHS Direct Wales 08454647

ROI 01 809 2166

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; Skin Irrit. 2: H315

Most important adverse effects: Causes skin irritation. Causes serious eye damage.

2.2. Label elements

Label elements:

Hazard statements: H315: Causes skin irritation.

H318: Causes serious eye damage.

Hazard pictograms: GHS05: Corrosion



FINITO

Signal words: Danger Precautionary statements: P102: Keep out of reach of children. P282: Wear eye protection. P280: Wear protective gloves. P264: Wash hands thoroughly after handling. P302+352: IF ON SKIN: Wash with plenty of water/. P332+313: If skin irritation occurs: Get medical attention. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313: If eye irritation persists: Get medical attention.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ISOTRIDECANOLETHOXYLATE, POLYMER(8 MOLE EO AVERAGE)

| EINECS | CAS | PBT / WEL | CLP Classification | Percent |
|--------------|----------------|----------------------------|--|---------|
| - | 69011-36-5 | - | Acute Tox. 4: H302; Eye Dam. 1: H318 | 1-10% |
| 3 - BUTOXYPR | OPAN - 2 - OL | | | |
| 225-878-4 | 005131-66-8 | - | Skin Irrit. 2: H315; Eye Irrit. 2: H319 | 1-10% |
| 2-(2-BUTOXYE | THOXY)ETHANC | L | | |
| 203-961-6 | 112-34-5 | - | Eye Irrit. 2: H319 | 1-10% |
| 2-AMINOETHA | NOL | | | |
| 205-483-3 | 141-43-5 | - | Acute Tox. 4: H332; Acute Tox. 4: H312; | 1-10% |
| | | | Acute Tox. 4: H302; Skin Corr. 1B: H314 | |
| QUATERNARY | AMMONIUM CO | MPOUNDS, BENZYL (C12-C16)A | ALKYL DIMETHYL CHLORIDES | |
| 270-325-2 | 68424-85-1 | - | Met. Corr. 1: H290; Skin Corr. 1B: H314; | <1% |
| | | | Eye Dam. 1: H318; Aquatic Acute 1: | |
| | | | H400; Acute Tox. 4: H302 | |
| ALCOHOLS, C | 12-C14, ETHOXY | LATED | | |
| POLYMER | 68439-50-9 | - | Aquatic Acute 1: H400; Eye Dam. 1: | <1% |
| | | | H318 | |

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Page: 2

FINITO

Page: 3

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

- **Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred.
 - **Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Water.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with

skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area

with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side

up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a suitable container.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

FINITO

Page: 4

7.1. Precautions for safe handling

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container tightly closed.

Suitable packaging: Stainless steel. Polyethylene. Glass.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

2-(2-BUTOXYETHOXY)ETHANOL

Workplace exposure limits:

| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-------|------------|--------------|------------|--------------|
| UK | 67.5 mg/m3 | 101.2 mg/m3 | - | - |

Respirable dust

2-AMINOETHANOL

| UK 2.5 mg/m3 7.6 mg/m3 | |
|------------------------|--|
|------------------------|--|

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Respiratory protection: Respiratory protection not required.

Hand protection: Gloves (alkali-resistant).

Eye protection: Safety glasses. Ensure eye bath is to hand.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| State: | Liquid | | |
|-------------------------------|-----------------------|--------------------------|-----------------|
| Colour: | Colourless | | |
| Odour: | Characteristic odour | | |
| Evaporation rate: | Not applicable. | | |
| Oxidising: | Not applicable. | | |
| Solubility in water: | Soluble | | |
| Viscosity: | Non-viscous | | |
| Boiling point/range°C: | 100 | Melting point/range°C: | 0 |
| Flammability limits %: lower: | Not applicable. | upper: | Not applicable. |
| Flash point°C: | Not applicable. Part. | .coeff. n-octanol/water: | Not applicable. |
| Autoflammability°C: | Not applicable. | Vapour pressure: | Not applicable. |
| Relative density: | 0.98 - 1.08 | | |

FINITO

Page: 5

pH: 11.4

VOC g/l: 55

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

10.5. Incompatible materials

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ISOTRIDECANOLETHOXYLATE, POLYMER(8 MOLE EO AVERAGE)

| ORAL | RAT | LD50 | 500-2000 | mg/kg |
|------|-----|------|----------|-------|
|------|-----|------|----------|-------|

3 - BUTOXYPROPAN - 2 - OL

| ORAL RAT LD50 2700 mg/kg |
|--------------------------|
|--------------------------|

2-(2-BUTOXYETHOXY)ETHANOL

| ORL | MUS | LD50 | 6050 | mg/kg |
|-----|-----|------|------|-------|
| ORL | RAT | LD50 | 4500 | mg/kg |

2-AMINOETHANOL

| IVN | RAT | LD50 | 225 | mg/kg |
|-----|-----|------|------|-------|
| ORL | MUS | LD50 | 700 | mg/kg |
| ORL | RAT | LD50 | 1720 | mg/kg |

FINITO

| SCU | RAT | | LD50 | | 1500 | mg/kg |
|---|---|-------------------|--------------|-----------------------|-------------------------|---------------------|
| QUATERNARY AMMONIUM COMPOUNDS, BENZYL (C12-C16)ALKYL DIMETHYL CHLORIDES | | | | | | |
| ORAL | RAT | | LD50 | | 795 | mg/kg |
| ALCOHOLS, C12-C14, ETHO | XYLATED | | | | | |
| ORL | RAT | | LD50 | | >5000 | mg/kg |
| Relevant hazards for produc | t: | Route | ; | | Basis | |
| Skin corrosion/irritation | | DRM H | | Hazardous: calculated | | |
| Serious eye damage/irritation | | OPT H | | Hazardous: calculated | | |
| /mptoms / routes of exposure | 2 | | | | | |
| · · · · · · · · · · · · · · · · · · · | | | | | | |
| Skin contact: | There may | be irritation and | redness at | the site of c | contact. | |
| Eye contact: | There may | be pain and red | ness. The e | yes may wa | ater profusely. There r | nay be severe pain. |
| | The vision | may become blu | rred. | | | |
| Ingestion: | There may | be soreness and | d redness o | f the mouth | and throat. Nausea a | nd stomach pain |
| | may occur. | | | | | |
| Inhalation: | There may be irritation of the throat with a feeling of tightness in the chest. | | | | | |
| Delayed / immediate effects: | Immediate | effects can be ex | xpected afte | er short-tern | n exposure. | |
| ion 12: Ecological informa | tion | | | | | |
| 2.1. Toxicity | | | | | | |
| | | | | | | |

Hazardous ingredients:

ISOTRIDECANOLETHOXYLATE, POLYMER(8 MOLE EO AVERAGE)

| FISH 96H | H LC50 1-10 | mg/l |
|----------|-------------|------|
|----------|-------------|------|

3 - BUTOXYPROPAN - 2 - OL

| - | 48H EC50 | >1000 | mg/l |
|---------|----------|----------|------|
| GUPPIES | 96H LC50 | 560-1000 | mg/l |

QUATERNARY AMMONIUM COMPOUNDS, BENZYL (C12-C16)ALKYL DIMETHYL CHLORIDES

| Daphnia magna | 48H EC50 | .016 | mg/l |
|--|-----------|------|------|
| GREEN ALGA (Selenastrum capricornutum) | 72H ErC50 | .026 | mg/l |
| RAINBOW TROUT (Oncorhynchus mykiss) | 96H LC50 | .85 | mg/l |

Page: 6

FINITO

ALCOHOLS, C12-C14, ETHOXYLATED

| - | 48H EC50 | >1-<=10 | mg/l |
|---|----------|---------|------|
| - | 48H EC50 | >100 | mg/l |
| - | 96H LC50 | >1-<=10 | mg/l |
| - | 96H LC50 | >1-<=10 | mg/l |

12.2. Persistence and degradability

Persistence and degradability: Biodegradable. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by

the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

Phrases used in s.2 and s.3: H290: May be corrosive to metals.

FINITO

Page: 8 H302: Harmful if swallowed. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation. H332: Harmful if inhaled. H400: Very toxic to aquatic life. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.